

## XI'AN FUNCTION MATERIAL GROUP CO., LTD

Material Safety Data Sheet Tantalum Telluride

1. Product and Company Identification

Trade Name: Tantalum telluride

Chemical Formula: TaTe<sub>2</sub>

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

### 2. Hazards Identification

Signal Word: Danger



Hazard Statements: H315: Causes skin irritation

H319: Causes serious eye irritation

H332: Harmful if inhaled

H335: May cause respiratory irritation

Precautionary Statements: P261 Avoid breathing dust/fume/vapor

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P312: Call a POISON CENTER or doctor/physician if you feel unwell P305+P351+P338: IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses if present and easy to do  $-\,$ 

continue rinsing P405: Store locked up

P501: Dispose of contents/container in accordance with

 $local/regional/national/international\,regulations$ 

HMIS Health Ratings (0-4): Powder Bulk

 Health:
 2
 1

 Flammability:
 1
 0

 Physical:
 1
 0

3. Composition	
Chemical Family:	Ceramic
Additional Names:	Tantalum(IV) telluride, Tantalum ditelluride
Tantalum telluride (TaTe <sub>2</sub> ):	
Percentage:	100 wt%
CAS #:	12067-66-2
EC #:	235-083-4
	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Give one to two glasses of water and induce vomiting. Never induce
	vomiting or give anything by mouth to an unconscious person.
Skin:	Wash affected area with mild soap and water. Remove any
	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable, except as powder
Extinguishing Media:	Do not use water for metal fires – use CO <sub>2</sub> , sand, extinguishing powder
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal.
	Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Work/Hygienic Maintananca	materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before
	eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below
· Carrierion	2.10 ride sufficient rentilation to maintain concentration at or below

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 0.1 mg/m³ as Te, long-term value Threshold Limit Value: 0.1 mg/m³ as Te, long-term value

Special Equipment: None

Respiratory Protection: Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a

backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government

standards.

Protective Gloves: Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color White/Dark, silver grey

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: Odorless Water Solubility: Insoluble **Boiling Point:** N/A Melting Point: N/A Flash Point: N/A Autoignition Temperature: N/A Density: 9.4 g/cc 436.15 g/mol Molecular weight:

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Acids, Bases, Halogens, Interhalogens, Oxidizing agents

Incompatible Conditions: None

Hazardous Decomposition Products: Hydrogen telluride, Tantalum oxide, Metal oxide fume

11. Toxicological Information

Potential Health Effects:

Eyes: Causes serious eye damage

Skin: Causes irritation
Ingestion: May cause irritation

Inhalation: Harmful Chronic: N/A

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: 83 mg/kg for rat by mouth

Median Lethal Concentration: >2420 mg/m<sup>3</sup>/4hr

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: Low Persistent Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No Notes: N/A

### 13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

#### 14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 6.1 Toxic substances

Packing Group: III UN Number: UN3284

Proper Shipping Name: Tellurium compound, solid, n.o.s. (Tantalum telluride)

# 15. Regulatory Information

Sec 302 Extremely Hazardous: No Sec 304 Reportable Quantities: N/A Sec 313 Toxic Chemicals: Yes

#### 16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/22/2016