# XI'AN FUNCTION MATERIAL GROUP CO., LTD

# Safety Data Sheet Lead Zirconium Titanium Oxide

### 1. Product and Company Identification

Trade Name: Lead Zirconium Titanium Oxide

Chemical Formula: PbZrTiO<sub>3</sub>

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., No.

Street: 69, Gazelle Valley, High-Tech Zone

City: XIAN
State: SHAANXI
Zip Code: 710077
Country: CHINA

Tel #: +86-29-88993870/+86-13519132051

#### 2. Hazards Identification

Signal Word: Danger





Hazard Statements: H302+H332: Harmful if swallowed or if inhaled

H350: May cause cancer

H361: Suspected of damaging fertility or the unborn child

H373. May cause damage to organs through prolonged or repeated

exposure

**Precautionary Statements:** 

P202: Do not handle until all safety precautions have been read and

understood

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P264: Wash hands, face and any exposed skin thoroughly after

handling

P270: Do not eat, drink or smoke when using this product P271: Use only outdoors or in a well-ventilated area

P281: Use personal protective equipment as required

P301+P312: IF SWALLOWED: Call a POISON CENTER or

doctor/physician if you feel unwell

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest

in a position comfortable for breathing

P308+P313: IF exposed or concerned: Get medical advice/attention

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical: 0

3. Composition Chemical Family: Inorganic Material Additional Names: Lead Zirconate Titanate Lead Zirconium Titanium Oxide (PbZrTiO<sub>3</sub>): Percentage: 100 wt% CAS #: 12626-81-2 EC #: 235-727-4 4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Give one to two glasses of water. Never induce vomiting or give Ingestion: anything by mouth to an unconscious person. Wash affected area with mild soap and water. Remove any Skin: contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Non-flammable, except as powder Flammability: Extinguishing Media: Use water spray, CO<sub>2</sub>, dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers Use full-face, self-contained breathing apparatus with full protective Spec. Fire Fighting Procedure: clothing to prevent contact with skin and eyes. See section 10 for decomposition products. Accidental Release Measures Wear appropriate respiratory and protective equipment specified in If Material Is Released/Spilled: special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. **Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage **Handling Conditions:** Wash thoroughly after handling. **Storage Conditions:** Store in a cool dry place in a tightly sealed container. Store apart from

materials and conditions listed in section 10.

Do not use tobacco or food in work area. Wash thoroughly before Work/Hygienic Maintenance:

eating and smoking. Do not blow dust off clothing or skin with

compressed air.

Provide sufficient ventilation to maintain concentration at or below Ventilation:

threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits: 5 mg/m<sup>3</sup> as PbZrTiO<sub>3</sub>, long-term value

10 mg/m³ as PbZrTiO<sub>3</sub>, short-term value

Threshold Limit Value: 0.05 mg/m³ as PbZrTiO₃, long-term value 10 mg/m³ as PbZrTiO₃, short-term value

10 mg/m us 1 02m 110 3, short term

Special Equipment: None

Respiratory Protection:
Protective Gloves:

Dust Respirator
Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long

sleeves/pants.

9. Physical and Chemical Characteristics

Color White

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Odor: N/A
Water Solubility: N/A
Boiling Point: N/A
Melting Point: N/A
Flash Point: N/A
Autoignition Temperature: N/A
Density: N/A

Molecular weight: 394.29 g/mol

10. Reactivity

Stability: Stable under recommended storage conditions

Reacts With: Strong oxidizing agents

Incompatible Conditions: Exposure to moist air or water. Keep away from open flames, hot

surfaces and sources of ignition

Hazardous Decomposition Products: Lead oxide, Titanium oxide, Zirconium oxide

11. Toxicological Information

Potential Health Effects:

Eyes: May cause irritation
Skin: May cause irritation
Ingestion: Harmful if swallowed
Inhalation: Harmful if inhaled

Chronic: N/A

Signs & Symptoms: N/A

Aggravated Medical Conditions: May cause cancer. May cause damage to organs through prolonged or

repeated exposure. May damage fertility or the unborn child

Median Lethal Dose: N/A

Carcinogen: Suspected of causing cancer

ACGIH-A5

12. Eco	logical	Information
---------	---------	-------------

Aquatic Toxicity: Toxic
Persistent Bioaccumulation Toxicity: N/A
Very Persistent, Very Bioaccumulative: N/A
Notes: N/A

#### 13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

#### 14. Transportation Data

Hazardous: Hazardous for transportation as powder only



Hazard Class: 6.1 Poisonous Materials

Packing Group: III UN Number: UN3288

Proper Shipping Name: Toxic solid, inorganic, n.o.s. (Lead Zirconium Titanium Oxide)

# 15. Regulatory Information

Sec 302 Extremely Hazardous: N/A
Sec 304 Reportable Quantities: N/A
Sec 313 Toxic Chemicals: Yes

#### 16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 03/05/2021